



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

VIII. *An Account of the Quantity of Rain fallen at Mount's-Bay in Cornwall, and of the Weather in that Place: In a Letter from the Rev. William Borlase, M. A. and F. R. S. to the Right Rev. Charles Lord Bishop of Carlisle, F. R. S.*

My Lord,

Ludgvan, Oct. 31, 1763.

Read Feb. 16,
1764.

AT Carlisle, I find by your Lordship's note, there fell six inches and half of rain in the months of June and July last. In Mount's-Bay Cornwall, according to my ombrometer there fell

	In:	Tenths	Parts		inches	tenths	parts
In June —	2	6	$\frac{1}{2}$	}	6	9	$\frac{1}{2}$
In July —	4	3	0				

So that the rain in this part of Cornwall exceeded that at Carlisle almost half an inch. I could wish the gentleman at Carlisle would continue his observations, adding thereto a journal of Farenheidts thermometer, and that we had another equally curious at Cathness, at least Aberdeen.

It is some amusement to compare the journal of the weather in one part with the accounts in the papers of storms, heats, and drought, and their contraries, in another.

On the 11th of August, there was at Bruffels a most dreadful storm of thunder, lightning, and hail; at Ludgvan only misty-rain and showers.

On the 19th of the same month, when one of the most violent hurricanes ever known scourged some

parts of Kent from the West and South-West, it was calm, hazy, and sun-shine, and the wind at North-East, in Mount's-Bay, in the morning; in the evening South-South-East.

On the 2d of this month of Oct. there was a most violent storm on the Eastern coasts of Britain, from Yarmouth to Edinburgh; wind from the North-East and East-North-East; many ships distressed, many wrecked. What is remarkable, at the same time a like violent storm blew in the Western channel, along the coast of Cumberland, Lancashire, and Wales, but the wind from the West. In Mount's-Bay the wind was somewhat stormy and showery in the morning, the wind at West half North; in the afternoon windy and showery and sun-shine, West half South. You see how different, nay opposite, the winds, even in their extremest violence, are on the Eastern and Western coasts, where they have nothing between them but a narrow ridge of land. The cause of this remarkable opposition, I should be glad to see well explained. It must certainly have lain in the middle between the two forces; and it might contribute somewhat to the discovery, to know whence, and to what degree, the wind blew on the mountains in Scotland, and as far South as Derbyshire, from Sunday morning to Monday noon: but these are particularities not to be expected till the age becomes more philosophical. I remain, my Lord,

Your most obliged

and obedient Servant,

W. Borlase.

IX. *An*